ALLIANCE

GARAGE EQUIPMENT BROCHURE

Minter 202

sales@workshop-pro.co.uk 01908 354 750

DON'T BUY IT,



Get the equipment you need now and 'pay-as-you-earn'

A lease agreement from CF Capital can give you the equipment you need today. Spreading the cost will give you instant access to new equipment. When you weigh up the benefits it is easy to see why businesses both large and small are choosing to lease.

The benefits of leasing with CF Capital

√ All payments 100% allowable against pretax profits

√ Instant access to the latest technology

√ Keeping your cash in the bank - improving cashflow

√ Fixed interest rates allowing for effective future budgeting

Easy finance with CF

We make leasing simple.

Our helpful and experienced staff combined with clear easy-to-use documentation means that a CF Capital agreement is always a painless process.

Our competitive rates and quick turnaround will give your company the equipment you need to grow and prosper.



DIAGNOSTICS EQUIPMENT BATTERY SUPPORT MOT TESTING EQUIPMENT LIFTING EQUIPMENT 13-16 WHEELS, TYRES & SUSPENSION **COMPRESSED AIR PRODUCTS OIL MANAGEMENT** AIR CONDITIONING 20-21 **CLEANING EQUIPMENT** 22 **BODYSHOP EQUIPMENT COMMERCIAL VEHICLES**

COMMERCIA VEHICLES

POWER PROBE

Introducing our NEW Supplier POWER PROBE!

Power Probe 4

The Power Probe 4 provides the ability to supply power and ground plus 8 additional diagnostic testing modes, to provide the Auto Electrician with detailed information, on all the circuits and signals being tested.

- Live resistant test
- Auto ranging
- Water and solvent resistant
- 8 diagnostic modes
- 12-24 Volt range
- Compatible with all Power Probe test leads and accessories

Tests:

- √ AC Volts
- √ RMS & Volts
- √ P-F
- √ Resistance
- √ Hertz
- √ Frequency and pulse width
- √ Fuel injectors
- √ Modulé drivers









Power Probe 3

Working off 12v and 24v power sources the Power Probe 3 has the ability to apply power and ground for functional component testing. Using an auxiliary ground cable to check continuity and test components, in situ or on the bench.

Kit contains:

- √ Power Probe 3
- √2 x 6m standard power cables
- √75mm ProbeTip
- √ 12v Power adaptor



The Probe

The probe is a 12-volt test light with haptic feedback, this tool vibrates and lights-up when voltage over 12 volts is detected. When a voltage is below 12 volts, it functions as a standard test light.

A green LED illuminates when good ground or good continuity is detected, and a blue light illuminates when a bad ground or excessive resistance in the circuit is detected.

Good Ground = **GREEN** Bad Ground = **BLUE**



R PROBE

Short/Open Finder ECT3000

- Makes locating shorts and opens guicker and more accurate then ever before.
- Finds breaks in wires and locate shorts with out removing panels, mouldings or carpets.
- When the ECT3000 transmitter is connected to an isolated circuit it will quickly determine has an open or if the circuit is shorted to around.



12V & USB Mini Probe PWPTST12V PWPTSTUSB

These socket testers are a quick and easy way to test a vehicles accessory outlets. They light up if the port is working and don't if the port has a problem.



PWPPPDMM

The hybrid-safe Cat IV 600v automotive digital multimeter is versatile, accurate and rugged with is large LCD screen and bright backlight.

Includes K-Type temp probe for accurate temperature readings.



BEST SELLER





Temperature Kit

PWPTEMPKIT

The Temperature Kit is a dual-zone digital thermometer that comes with a base unit and wireless temperature probe.

An optional additional wireless probe can be paired with the base unit so up to 3 readings can be measured.



Additional temp probe sold separately Part No. TEMPPROBEÉ

DC Volt Tester

PWPPPTVM01

This DC Volt Tester is an easy to use tool that can quickly test for voltage.

Perfect for testing batteries, lighting systems, trailer connections and much more.

The LCD displays from 5v to 35v.





INSPE

Workshop Pro's exclusive diagnostics tool, designed for everyday use in the workshop!

RDUINSPEX8

Inspex Diagnostic Tool

- Full system diagnosis
- Over 95% of cars covered
- Read and record live data values
- Readings displayed clearly as a graph
- VRM+ (ask for more details)
- Connects to the car via Bluetooth
- Wi-Fi connectivity
- Built in 5mp camera
- 12 month software subscription included
- PLUS 3 month free subscription of Haynes Pro Workshop Data





SPECIAL OFFER

FREE BORESCOPE WITH EVERY INSPEX UNIT

- Designed for visual inspection of inaccessible areas
- Capture good quality photos and videos deep within engines or other components
- Miniature probe camera (2mp) with 6 powerful LED lights
- 1280 x 720 resolution



8" tablet and charger,

Bluetooth VCI, USB cable,

OBD extension lead, carry case, plus NEW docking station.



AUTEL®

MS908IM Key Programmer

The MaxiSYS MS908IM is Autel's NEW ALL IN ONE key programming and diagnostic software tool. Equipped with XP400 key programmer and the MaxiFlash J2534 ECU programmer to provide complete coverage of IMMO and programming functions.

- 64GB hard drive
- 80+ manufacturers
- Android powered
- 15 sec boot up time
- 10" LED touch screen 1 year software updates included
 - Extended 2 year warranty
 - I2534 included







The MS908 PRO does everything its predecessor does but it's capabilities are optimised even further with our advanced J2534 pass through device included in the package.

The MS908 is Autel's premier diagnostic tool with its advanced diagnostic software and intelligent bluetooth VCI. Can be upgraded to the pro version with J2534 pass through device.



The 'little brother' to MS908, the MS906 is super powerful, built on the multitasking Android KitKat operating system and with the newest 6 core processor, it has the power to scan vehicle systems quickly and efficiently.

- 8" LED touch screen
- Pre OBD connectors included

The DS808EU is the 'little brother' to the MS906 and the UK edition is loaded with the same software as the MS906, making the DS808EU fabulous value for money.

- 7" LED touch screen
- Pre OBD connectors not included



Diagnose √ Research √ Repair √ ALL-IN ONE!

KTS 560/590

 Optimally suited for the use of the diagnostic software ESI(tronic)2.0, the Bosch KTS 560 & 590 can operate several vehicle interfaces in parallel so vehicle manuafacturer portals for diagnostics and

reprogramming according to Euro 5/6 (PassThru) can be operated efficiently

 The module is Diagnostic over IP (DoIP) ready with ethernet interface, along with 2-channel oscilloscope (only with the KTS 590) and multimeter

Bluetooth class 1 (up to 100m in range)
 It is a must for the ambitious workshops

Software subscription required (see page 7)





BSC0684400350



KTS 350: Diagnostic Scan Tool

BSC0684400560/590

- Mobile all-round solution for control unit diagnosis, trouble shooting, repair and maintenance
- Delivered plug and play with Window 10
- Pre-installed ESI(tronic)2.0 software ready for licensing (based on your needs)
- It has an integrated ethernet interface (DoIP), which opens up for the possibility to transfer data up to 100 times faster, compared to previous CAN technology
- Regular online updates available
- Software subscription required



KTS 250: Diagnostic Scan Tool

Bosch KTS 250 tester for mobile and quick ECU diagnosis with intuitive user interface and easy handling

- Entry-level device for quick ECU diagnosis
- Modern Android-based user interface for user friendliness
- Future-proof thanks to integrated DoIP ethernet interface
- Auto VIN indentification: coverage of more than 150 brands
- Fully automatic vehicle identification
- A fast overview of systems and stored trouble codes
- Scan multiple ECU's simultaneously
- Easy to navigate service task menus
- Software subscription required









DCU 220

 The DCU 220 is both a rugged (military grade) notebook and a tablet PC allowing flexible and comfortable work at all times - especially in the rough workshop environment

- Perfect in combination with KTS 560/590
- It controls the test and diagnostic systems of the Bosch KTS series and is a powerful module in terms of speed, making it the premium diagnostic device amongst the DCUs by Bosch
- Windows 10 operating system, powerful intel core I5-6200u processor, 256GB SSD system, 8GB RAM
- Two lithium-ion batteries for long lasting operations
- KTS device and software subscription required





DCU 100

- The DCU 100 is a portable, robust 10-inch touchscreen tablet pc
- It controls ESI(tronic) 2.0 testing and diagnostic systems using the Bosch KTS series modules *VCI interface required 560/590
- Windows 10 operating system
- 4GB RAM, 256GB SSD storage system
- Intergrated Bluetooth and Wi-Fi for working on the go
- KTS device and software subscription required

SOFTWARE SUBSCRIPTIONS

Sign up to a 1 year or 3 year software subscription.





PARTS CATALOGUE AND CROSS REFERENCE

Spare parts, applications and functions including automotive equipment.
 Access to around 32,000 passenger cars, 19,000 commercial vehicles,
 6,000 motorcycles and 8,000 truck, tractors and special vehicles.



VEHICLE DIAGNOSIS

The latest diagnosis data for passenger cars and light commercial vehicles for over 130 brands.



VEHICLE TROUBLESHOOTING INSTRUCTIONS

The troubleshooting instructions reliably guide you step by step to the cause of the fault.



EXPERIENCE-BASED-REPAIR-KNOWN FIXES

Find the right solution within seconds, even for challenging troubleshooting cases. Includes the module - technical service bulletins (TSB).



VEHICLE MECHANICS AND MAINTENANCE SCHEDULES

Maintenance information tabs contain all vehicle data such as service schedules, required parts and much more with direct link to diagnostic functions



COMFORT SYSTEMS WIRING DIAGRAMS

Giant database including wiring diagrams for all important systems such as engine management, comfort systems and bus systems for optimal efficiency.



BATTERY SUPPORT

GYS029453

SIPINDUSTRIAL

GYSFLASH 100.12 Battery Support Unit 100Amps

Professional support unit with vehicle manufacturer approvals

 Maintains stable vehicle voltage during diagnostic testing and software downloads/programming

Provides current on demand (max 100Amps)

 Diag + mode enables user to select voltage level (12v-14.8v) to meet manufacturers requirements

 Charger mode - High spec smart battery charger for all battery types incl EFB & AGM stop/start







GYS025523 GYSPACK PRO 12V Booster Pack

GYSPACK Pro 12v booster pack suitable for starting cars and vans (up to approx. 2.5lt).

- 1750Amps peak / 1100Amps cold cranking
- Automatic wall charger allows safe, permanent connection to mains ensuring internal battery is always ready for use
- Reverse polarity alarm
- Internal battery test function
- Integrated LED worklamp

SIP Rescue Pac 3000

£249.99 SIP03937



- Boost peak rate 3000Amp (12v) 1500Amp (24v)
- Cranking rate 1200Amp (12v) 600Amp (24v)
- 2 x 12v DC output sockets
- Reversible hook-up alarm and indication

SIP Rescue Pac 1600

SIP03936

1600Amp boost peak rate

700Amp cranking rate

12v DC output socketLED charge indicators

True 22Ah battery capacity





MOT TESTING EQUIPMENT

Save space, add to your service & increase profits with a dual revenue Lift.

Crypton Full Automatic Test Lane Packages for MOT testing Classes I, II, III, IV & VII OPTIONAL: 4-Post lift up to 6.5m long Recessed or surface-mounted lifts

All Crypton full ATL packages include:

- Lift (4-Post, dual revenue lift for wheel alignment or scissor) or pit lane
- Attractive checker plate surface

Brake tester adapter kits for motorbikes

40" wall-mounted TV

- Market leading smoke and gas emissions tester
- Control centre with Windows 10 PC, 23" screen, mouse, keyboard and printer in a mobile cabinet
- MTS 'Connected' automated brake tester
- Brake tester adapter kit for 4x4 vehicles
- Brake tester cover plates

- Turntables
- Wheel play detectors (wireless with Scissor lift)
- Brake pedal depressor
- Two convex mirrors
- Laser aimed headlight aligner
- First 6 months of calibrations included for emissions tester, brake tester and headlight aligner
- Project manager, consultation, measuring, CAD drawing service, delivery and installation

COLD GARAGE? Condensation is the main cause for emissions testers failing.

CCP800 Smoke and Gas Emissions Tester CRYA2C1952/8000/7900

Crypton's CCP800: The market leading smoke & gas emissions tester

- Euro 6 compatible
- Approved as DVSA connected equipment
- Smokemeter (available as cabled or bluetooth)
- 4 gas analyser
- Oil temperature probe
- Battery RPM measurement (OBD option) Operates the brake tester (when purchased)
- All housed in a quality mobile cabinet with a large 23" screen for clear visibility, Windows 10 PC, printer, mouse and keyboard with a dust and grease protective cover
- 3 year manufacturer's warranty
- Sérvice and calibration options available
- Manufactured and supported in the UK

SERVICE & CALIBRATION CONTRACTS:

- Annual calibration contract 2 gas and 1 smoke over 12 months.
- 5 year extended care extended warranty, calibrations (as above), routine consumables and MOT data updates





DAD C1 VCI & Arm Bracket

This wireless VCI is the perfect option and accessory for your emissions tester. It has been designed to deliver engine speed (RPM) for the Diesel MOT emissions test as efficient and accurate as possible with reliable results.

- View EOBD data and read and clear EOBD vehicle fault codes
- Diesel RPM measurement
- Powertrain diagnostic data
- DTC read and clear
- Powertrain freeze frame data
- Oxygen sensor monitoring test results
- Includes a holder arm and rubber case

LIFTING EQUIPMENT

EAEEE-62B.35T.E

EAE

Limited on space? Low ceilings? Check out our range of 2 post lifts!

EE-62B.35T.E - EAE's 3.5T 2-Post Lift

The EE-62B.35T.E is a heavy duty electro-hydraulic two post base plate lift.

- 3500kg lifting capacity
- 1900mm lifting height
- Electrical release
- Base plate type design for low ceiling workshops
- APS technology
- Screw-up lifting pads with clearance height less than 100mm
- The arm locks engage and disengage automatically
- Standard aluminium motor avoids overheating
- Door protection pads to prevent possible damage to the door when open
- Pre-fixed hydraulic pressure prevents overloading operation
- Standard chain protection curtain
- ABS control box with rubber gasket sealing



WORTH £100!



LIFTING EQUIPMENT LÎTEMASTER

Liftmaster 3500Kg Electro Hydraulic Baseless 2 Post Lift

Liftmaster's 3500kg electro hydraulic baseless 2 post lift comes with 3 stage front arms hyperflow and 2 year warranty

- Triple reach front arms as standard
- 3500kg Lifting Capacity
- Automatically synchronised hydraulics thanks to the patented HyperFlow system
- No pulleys, no cables meaning less maintenance and downtime
- Integrated mechanical safety lock
- Various lifting arm versions available
- Low lifting point from 95mm(75 mm with MM arms 81 mm with SCA Arms)
- Variable width and height (+900mm with optional extension)
- Solid steel construction
- Asymmetric lift allowing vehicle doors to be opened wider
- 3 phase motor
- 5 year comprehensive warranty



Liftmaster European 4 Post Wheel Alignment Lifts Liftmaster has a range of 4 post wheel alignment lifts which come with different



Liftmaster has a range of 4 post wheel alignment lifts which come with different size wheel alignment platforms and rear slip plates

- 3 Phase: 440V neutral and earth protected by 20 AMP (C-Rated) breaker.
- Regulated and filtered compressed air supply
- 2 year warranty

| MODEL | LFTLEF446A | LFTLEF51A | LFTLEF57SA | LFTLEF57SA-65 |
|--------------------------------------|-------------------|-------------------|-------------------|--------------------|
| Lifting capacity (kg) | 4000 | 4000 | 5000 | 6500 |
| Wheel alignment platform width (mm) | 530 | 650 | 650 | 650 |
| Wheel alignment platform length (mm) | 4460 | 5100 | 5700 | 5700 |
| Power supply | 440v, 3ph | 440v, 3ph | 440v, 3ph | 440v, 3ph |
| Price | ₄ 6495 | ₋ 7995 | ₄ 8595 | ₋ 10995 |





Winntec 550kg Transmission Jack

The Winntec 550kg Transmission Jack from SIP provides superior stability under heavy loads, and features a safe spring-loaded lowering system. For use in pits and elevated vehicles.

- 550kg capacity jack
- 1150 2015mm lifting range
- Wide base spreads load weight
- Fast approaching speed
- Dead man controls
- Heavy-duty castors
- Reversible head
- Winntec 3 year warranty



SIP09828

ONLY £179.99 +VAT KG 2000kg 510mm T WARRANTY NCUOS WER & TEX

Winntec 2 Ton Low-Profile Trolley Jack

The Winntec from SIP 2 Ton low-profile trolley jack is designed for lower clearances, plus has a turbo-lift lifting system. Fitted with a chromed main ram and heat-treated chromed pistons.

- 2 Ton maximum weight capacity
- 75mm to 510mm lifting height range
- Ultra-low profile design for low vehicles
- 'Turbo-Lift' system raises contact saddle to the vehicle surface in one swift motion
- Rubber grip and PU contact saddle pad
- PU wheels reduces noise and damage
- Heat-treated chromed pistons and ram
- Premium European design
- Winntec 3 year warranty

220v

40

65

1.5-20

10-24

WHEELS, TYRES & SUSPENSION





TCLTTC/TIRO/1

Tecalemit Automatic Tyre Changer

The TTC/TIRO/1 automatic tyre changer has a proven performance, even in the most demanding tyre shops that is second to none. The bead breaker is suitable for larger diameter wheels and extended clamping jaws which can safely accommodate a wider range of wheel designs.

- Roller and assistant arm systems
- 10-23" rim diameter
- Pneumatic high pressure bead breaker
- Ideal for run flats and low profile tyres
- 2 direction turntable
- Pneumatic locking system for operating arms
- Extended clamping jaws for improved operation

| Technical Spec | Tyre Changer |
|---------------------------------|--------------|
| Power | 230v |
| Bead breaker force | 2500kg |
| Wheel width (inch) | 3 - 12 |
| For rim dia. (internal locking) | 12 - 23 |
| For rim dia (external locking) | 10 - 23 |
| Max tyre outside diameter | 46" |





Tecalemit Electronic Wheel Balancer

The TBM/TIRO/2500 is a fast accurate electronic wheel balancer suitable for balancing a broad range of car and light commercial vehicle wheels weighing up to 65kg.

- Fast accurate wheel balancing
- Suitable for balancing most types of car and car derived van wheels
- Simple control panel for ease of use
- LED display
- 4 balancing cones to cover a large range of road wheels
- 4 alloy rim balancing programmes
- Static balancing programme for narrow wheels
- Measuring gauge, weight pliers and foot brake

Tecalemit Tiro Tyre Bay Package

The Tecalemit Tiro Tyre Bay package includes;

- TTC/TIRO/1 automatic tyre changer
- TBM/TIRO/2500 electronic wheel balancer
- LCV (light commercial vehicle) cone and spacer

FREE LCV Cone & Spacer HAW/150400091

Allows operator to balance most LCV wheels with wheel centres diameter 122mm - 174mm.
[within weight capacity of balancer]





Balance speed (rpm)

Max wheel weight (kg)

Rim width (inch)

Rim diameter (inch)

Max wheel diameter (inch)

13



WHEELS, TYRES & SUSPENSION

EAE Tyre Changer with Assist Arm

EAEEE-4880ID



- Tyre changer with assist arm
- Pneumatically operated lilting column
- Simultaneous pneumatic horizontal and vertical arm locking
- Pneumatic bead breaker
- Tilting column and pnuematic locking system
- Durable and convenience operation
- Bigger bead breaker cylinder ø200, more powerful
- Max. wheel diameter: 45"
- Max. wheel width: 14"
- Outer clamp: 12"-23"
- Optional motorcycle clamp: 12"-26" available separately



| Technical Data | |
|----------------------|-------------------|
| Rim material: | Steel, Al., Alloy |
| Max. wheel diameter: | 45" |
| Max. wheel width: | 14" |
| Outer clamp: | 12"-23" |
| Motorcycle clamp: | 12"-26" |
| Power supply: | 110V/220V/380V |
| Motor power: | 0.75KW/1.1KW |
| Air supply: | 8-10Bar |
| Noise level: | <70dB |

ONLY £1060 +VAT

EAEEE-3096V2

EAE Wheel Balancer





- For passenger car, motorcycle and light commercial vehicles
- Hand-operated distance & wheel diameter input
- Various balancing modes
- Self-calibration & diagnosis
- Plastic safe-guard works as the Start/Stop button while balancing the wheel by pulling the guard down/up
- Optional universal wheel flange, motorcycle adaptor and large centring cone
- Max. wheel weight: 65kg
- Max. rim diameter : 10" 24"
- Max. rim width: 1.5" 20"

EAE Tyre Package

The EAE EE-4880ID wheel balancer and EE-3096V2 tyre changer make up EAE's fantastic new tyre package, buy both for a discount price.

- EAEEE-4880ID tyre changer with assist arm
- FAFFF-3096V2 wheel balancer

WHY NOT...
Add a lift and complete your tyre bay?
Check out a few in the range on page 10.





WHEELS, TYRES & SUSPENSION



3D Bluetooth Wheel Aligner

The Bluetooth 3D wheel aligner features towerless technology which can be used without a dedicated alignment bay.

- Check front & rear toe, camber, caster & thrust angle
- ADAS hardware compatibility built into software
- Shoot and go vehicle recognition via your smartphone
- Huge online vehicle database
- OEM approved



AALBLUETOOTHPRO

Bluetooth Pro Wheel Aligner

The Bluetooth pro wheel aligner is Absolute Alignment's top-selling wheel alignment solution. Easy-to-use features make it the ideal 4-wheel aligner for any bodyshop or workshop looking for a great value machine.

- Wireless charging
- Cable-free Bluetooth operation
- Integrates with your ADAS hardware
- Check front & rear toe, camber, caster & thrust angle
- Optional "pro" wheel clamp upgrade comes as standard
- Speedy operation for "speculative" checks
- OEM approved

2-Post Adaptor Kit

Turn your 2-post lift into a full wheel alignment centre with this adaptor kit.

- Compatible with Bluetooth pro wheel aligner
- Unique design
- Brings wheel alignment profits into the reach of more workshops
- Durable and strong
- Easy to use
- Quality manufacture from the alignment company you can trust
- Alignment stands (AALSTANDS) also available





WHEELS, TYRES & SUSPENSION

SYK385800SPP

Sykes-Pickavant.

Pneumatic Coil Spring Compressor Workstation

Sykes-Pickavant's pneumatic coil spring compressor workstation is a universal piece of equipment for assembling and disassembling struts and coil springs on cars, 4-wheel drive vehicles and light commercial vehicles.

- Extra heavy-duty
- Safety switch prevents operation when gates are open
- Adjustable strut vice with 4 x setting options
- Interchangeable jaws/vice to suit different springs
- Unique double depth front plate
- Length of travel: 330mm
- Up to 2452kg of force (at 10 bar)
- Top arms & jaws adjust and lock to secure spring
- Automatic jaw levelling
- 4 x floor mounting holes
- Includes 2 x standard brackets: 78-130mm & 105-182mm



Adaptor Bracket Set

SYK38780100

Suitable for Mercedes C-Class (up to 2007) and compatible with new range of Mercedes brackets

Coil Spring Clamp SYK38580400

Designed to hold coil spring still during initial compression and restrict twisting through the bracket



Jaw Holder SYK38580200

Tidy and safe storage solution 3 hanging hooks and 4 slots for brackets For use with 3858 and 3868 workstation brackets (brackets not included)





COMPRESSED AIR PRODUCTS



ABAC Belt Driven Piston Compressors

ABAC belt driven piston compressors come with cast iron cylinders for long life, and the slow running pump unit gives low noise and long durability.

- High performance technology
- Premium quality with lasting durability
- Increased flywheel diameter for enhanced cooling
- Twin cylinder belt driven pumps
- Oil lubricated
- Simple on / off control plug and play
- Further configurations available upon request

| • | · | | |
|------------------------|------------------|----------------------|--|
| | Pro A39B 200 FM3 | Pro B5900B 200 FT5.5 | |
| Technical Spec | ABA4116025016 | ABA4116019759 | |
| Receiver (Litre) | 200 | 200 | |
| L/min | 280 | 500 | |
| CFM (FAD) | 10.1 | 17.7 | |
| HP | 3 | 5.5 | |
| kW | 2.2 | 4 | |
| Rounds/min (RPM) | 1050 | 1400 | |
| Voltage | 230/1/50 (16Amp) | 400/3/50 | |
| Pressure (Bar) | 10 | 11 | |
| dB(A) | 73 | 78 | |
| Dimensions (L x W x H) | 1404 x 446 x 934 | 1404 x 488 x 983 | |
| Weight (kg) | 115 | 132 | |
| Price | ₋ 585 | ₄ 950 | |
| | | | |







Pro B5900B 200 FT5.5

ABAC Spinn Screw Compressors

ABAC's Spinn range of rotary screw compressors are ideal for most automotive applications. With low noise levels and a compact design they can even be installed within the workplace. With a wide range of options available the Spinn is a perfect choice for your growing business!



- Industry leading technology
- Very low noise levels
- Highly efficient with superior reliability
- Compact design
- User friendly fully automatic controls
- 230Volt model available (2.2kW)
- Dryer models for body shops available upon request

| | Spinn 2.2kW 10Bar 200Ltr | Spinn 4kW 10Bar 200Ltr |
|------------------------|--------------------------|------------------------|
| Technical Spec | ABA4152008006 | ABA4152008009 |
| Receiver (litre) | 200 | 200 |
| L/min | 240 | 470 |
| CFM (FAD) | 8.5 | 16.6 |
| HP | 3 | 5.5 |
| kW | 2.2 | 4 |
| Volt | 230/1/50 | 400/3/50 |
| Bar | 10 | 10 |
| dB(A) | 61 | 62 |
| Dimensions (L x W x H) | 1429 x 612 x 1300 | 1429 x 612 x 1300 |
| Weight (kg) | 155 | 159 |
| Price | ₋ 3100 | ₋ 3350 |



OIL MANAGEMENT



SIP Oil Extractor Drainer 70L

SIP03714

The SIP 70 litre oil extractor drainer is designed for the collection of waste and excess oil from vehicle gearboxes and engines.

Large collection tray and tank allow for heavy-duty applications

- 70 Litre steel-constructed tank
- 10 Litre collection pan capacity
- 6 bar to 8 bar air inlet pressure
- 0.7 bar to 1 bar ejection pressure
- 1195mm to 1810mm height range
- 0°C to 60°C working temperature
- Collect oil from engines/gearboxes
- Wheel-mounted for easy movement
- Heavy-duty wheels and castors





SIP Complete Oil Spill Kit

The SIP complete oil spill kits come in 4 different sizes and have an absorbency of either 4/9/18 or 32 litres, and consists of a flexible tray and a laminated absorbent mat to trap oil and fuel leaks, for better environmental protection.

- Flexible tray with unique laminated oil absorbent mat
- Fits under small plant, machinery and tanks
- Traps oil & fuel leaks
- 4 sizes available;

Small 4L: SIP02540

Medium 9L: SIP2542

Large 18L: SIP02544

XLarge 32L: SIP02546

Replacement mats available (2 pack)



Replacement Absorbent Mats x2

4 sizes available: SIP02548

Small

Medium SIP02550 Large SIP02552 XLarge SIP02554



AIR CONDITIONING





CTR Kristal Base

COLCE92009KB

The Kristal Base service station has the latest technology from CTR giving reliable, servicing of R1234vf air-con systems.



Kheos

COLCE92006KP

The Kheos Plus service station is an automatic machine produced by CTR giving cost effective servicing of R134A air-con systems.







- 1 electronic scale for gas
- Automatic oil/UV dye injection
- Self service replacement filters
- 2.5m charging line with couplings
- Refrigerant tank lock
- Programmable process
- High level accuracy on recovery (+/-3g) & charge (+/-1g)
- 70 L/min vacuum pump
- Comprehensive vehicle database
- Thermal printer

- 'Plug & Play' functionality
- Automatic recovery/vacuum/ charge process
- Hybrid compatible
- 10kg refrigerant cylinder
- Easy read pressure gauges
- Automatic oil discharge
- Fully automatic oil injection
- 100 L/min vacuum pump
- 400g/min recovery pump
- Counters for machine servicing
- Comprehensive vehicle database
- Thermal printer

All single purchases of Kheos Plus and Kristal Base machines will be supplied with the following:

√5 x Oil / UV dye bottles FREE √1x Goggles & gloves kit FREE √ Free F-Gas training (for 1 Person)

Available to buy as a CTR twin pack CTR Kristal Base & CTR Kheos Plus

For the 'complete air con COLCE92006T1 solution' for all vehicle with

R134A and R1234YF refrigerants

5 x Oil/UV dye bottles & 1 x goggles & gloves kit FREE

Twin packs comes with 2 x free f-gas training

AIR CON STARTER PACKS AVAILABLE

Air conditioning starter packs and diagnostic packs are available for workshop based service stations and for portable equipment used by mobile service engineers. Additional consumables and other specialised tools can be purchased to tailor your individual needs.



√1 x 230ml MRL 85 universal oil √1 x R1234YF refrigerant bottle

√1 x Gas bottle adapter √1 x Pair of safety goggles

√1x Pair of safety gloves √1x Digital thermometer



Diagnostic Pack

COLCEACC4K

√1 x 230ml UV dye √1 x Micro check leak detector √1x UV Test Kit √ 1 x Nitrogen pressure test kit

Nitrogen bottle not included



√1 x 230ml MRL 85 universal oil √1x Gas bottle adapter √1 x Pair of safety goggles & gloves √1x Digital thermometer √1x Ford adaptor √1x Renault adaptor √1x O-Ring kit



√1 x Micro leak detector √1x UV test kit √1 x Nitrogen pressure test kit

Nitrogen bottle not included





HDS 7/10-4 M High Pressure Washer

KAR1.077-901.0

The HDS 7/10-4 M middle class hot water pressure washer is perfect for heavy-duty cleaning tasks thanks to the high water flow rate of 700 L/h, 100 bar pressure and its ability to reach temperatures of up to 155° C.

 Large integrated fine-mesh water filter protects the pump against dirt particles

 Securely store optional accessories directly on the machine

 Large wheels & sturdy steering castor makes it simple to manoeuvre

 EASY! Operation dial makes the HDS 7/10-4 M extremely easy to use

- EASY! Force trigger gun technology
- 700 L/h at 100 bar pressure
- Dimensions: L 1330 x W 750 x H 1060mm
- 25L tank



KAR1.169-904.0

HDS 6/12 C High Pressure Washer

The HDS 6/12 C hot water pressure washer enables you to perform daily cleaning tasks with ease. Producing a water flow of 600 L/h at 120 bar this machine delivers outstanding cleaning results, and with state-of-the-art features.



- EASY! Force trigger gun technology allows for long periods of comfortable operation
- EASY! Lock adapters make switching between accessories simple, fast & secure
- Large tank opening allow easy filling of fuel
- Excellent manoeuvrability thanks to its sturdy steering castor & integrated tilting aid, making curbs and steps no obstacle
- Lockable storage unit on-board for nozzles and accessories
- 600 L/h at 120 bar pressure

CLEANING EQUIPMENT



KAR1.783-311.0

BR 40/10C Scrubber Dryer

Kärcher's BR 40/10C heavy duty scrubber drier makes cleaning small to medium hard floors easy. The machine can be operated both forwards and backwards, cleaning and drying floors in a single pass.

- Roller brush
- 2 straight squeegees
- Twin tank system (10L)
- Low ground clearance
- Variable contact pressure
- Highly ergonomic handle with integrated water flow and brush control
- Floors dry very quickly thanks to its 2300w motor







Puzzi 8/1 Upholstery Cleaner

The powerful and compact Puzzi 8/1 C is ideal for upholstery cleaning and spot cleaning of carpeted floors. Puzzi 8/1 C leaves carpets and upholstery virtually dry to touch in minutes.

- 2.5m spray hose with integral water feed
- Accessory holder for hand tool
- Power cable 7.5m
- Upholstery nozzle
- Cable hook
- 1L/min spray rate
- 1 bar spray pressure
- 8L water tank
- 40w pump
- 220-240v

NT 27/1 Wet and Dry Vacuum

KAR1.428-509.0

The NT 27/1 is a robust, inexpensive all-purpose vacuum cleaner designed perfect for the automotive industry.

- 2.5m suction hose
- 200 mbar pressure powerful suction
- Pick up large quantities of wet or dry dirt
- 27L tank capacity
- 1380w motor
- 220-240v
- Low noise level of 72db(A)
- Power cablen 7.5m
- Crevice nozzle included







BODYSHOP EQUIPMENT

GYSU19708



Proliner 39.02 KIT Dent Pulling System

Professional dent pulling system for any size repairs. Kit includes;

- Power control unit with 75 factory pre-set settings
- Slide hammer, dent pulling stars, washers, wavy wire
- Levelling bar and multihook head
- Manuliner handheld puller provides precise, lever controlled pulling force
- Contact shrinking adaptor
- Workstation with cable hanger





GYS052208 GYSPOT 2600 Steel Dent Puller

- Get started in dent pulling on car doors, bonnets, roof etc
- Can be used with dent pulling stars, washers plus wavy wire (for curved panels)
- Contact shrinking tip for use on light damage and good finishing
- Delivered complete with slide hammer

Easycut 40 Plasma Cutter

Ideal for vehicle workshops and bodyshops.

- Feature latest inverter technology
- Excellent 20mm cutting capacity (15mm clean)
- Cuts steel, stainless, copper, aluminium
- Ultra compact weighs only 8kg
- Supplied with quality torch and 2 year warranty





GYSMATIC 5.13 XXL - Air Fed Helmet

- Protects the user's eyes and respiratory system during welding
- Features truecolor screen technology
- XXL screen size for increased viewing area
- Up to 8 hours battery life
- Comes complete with harness and carry case









COMMERCIAL VEHICLES







The Sherpa BPS mobile commercial vehicle roller brake tester is a one man operated machine with 10" tablet operation as standard.

Built in Germany using high quality components, this machine is supplied with a 3 year parts & labour warranty. (subject to maintenance)

- Bi-directional and 4×4 testing as standard
- Unique, planet-gear drive gearboxes
- 11kw motors
- 18 tonne axle test weight
- Free software updates when calibrated
- ATF approved
- Suitable for outdoor use with 25m power cable





Heavy Duty Headlamp Aligner GEMCOLITECHECK7DLG

The GEMCO Litecheck7DLG headlamp aligner is available for both MOT and ATF testing.

- DVSA approved for all classes of vehicle
- Precise readings are given as this unit uses two lasers instead of mirrors for vehicle alignment
- Long 4.5m rails included as standard
 - extensions are also available in 1.5m sections (3240018)
- Headlamp aligner can be surface mounted or recessed
- 3 year parts and labour warranty supplied as standard

Gemco's Sherpa Combined Gas and Smoke Emission Analyser GEMSHERPACOMBI

The Sherpa combined gas and smoke emission analyser is a British built pc based unit suitable for petrol and diesel vehicles.

- Every MOT test is stored to memory for instant retrieval and automatic print out of customer reminder letters
- Wi-Fi enabled PC, CD Rom, 19 inch colour monitor, keyboard mouse and printer
- Fast nationwide on-site support by dedicated UKAS accredited engineers
- Wireless diesel smoke head and engine speed/temperature readings taken via the EOBD socket using the multi RPM module
- 100% British design and manufacturing
- GEA and DVSA approved





COMMERCIAL VEHICLES

TEXA

DIAGNOSTIC SOLUTIONS FROM TEXA

TEXA's diagnostic solutions are based on the powerful AXONE Nemo display units and on the robust NAVIGATOR TXTs vehicle interface. These devices connect and communicate with the vehicle's electronic control units and guarantee levels of speed and performance that are simply unrivalled in the world of multi-brand diagnostics.

TEXA devices provide unique support for today's vehicle technicians and also stand out for their ease of use and versatility. All TEXA interfaces are fully compatible with standard personal computers.

IDC5 SOFTWARE: Diagnosis without frontiers

IDC5 is the latest generation of TEXA's renowned operating system and another step forward to assist technicians. Thanks to major improvements in code the new system is faster than ever and guarantees virtually instant communication with a vehicle's control units.



Texa Commercial Propack TXAUKD22/12/02

TEXA Commercial Propack includes the NAVIGATOR TXTs, the new Axone Nemo, truck cable case and trailer cable case.

The NAVIGATOR TXTs is a powerful diagnostic interface that can connect over a Bluetooth link the extraordinary AXONE Nemo, the most advanced and complete display unit currently available.

Included vehicle types:

Truck, coach, bus, LCV, trailers, power trains

Available with 1 year (TXAUKD2212) or 3 year software (TXAUKD2202)

Package Includes:

Axone Nemo (inc. IDC5 premium truck software), Navigator TXTs (vehicle interface), eTruck Modules x5, EBS trailer cable case, standard truck cable case, truck power supply kit & Axone Nemo stand.





TXAUKD22/22/32 Texa Commercial Pack

The commercial pack gives you the most powerful multi-brand diagnostics and autodiagnostics tool which connects directly to the vehicle's diagnostic socket, and communicates via Bluetooth with the AXONE Nemo. Avaliable with 1 year (TXAUKD2222) or 3 year software (TXAUKD2232)

Package Includes:

Axone Nemo (inc. IDC5 premium truck software), Navigator TXTs (vehicle interface), eTruck Modules x5 & Axone Nemo stand.

GARAGE EQUIPMENT BROCHURE **Dinter 2021**

AVAILABLE FROM

STAMP YOUR LOGO HERE

WORKSHOP PRO
GARAGE EQUIPMENT
an Alliance Automotive Group company



ALLIANCE AUTOMOTIVE GROUP



Terms & Conditions. Prices shown are for trade customers only. Prices exclude VAT and are correct at time of printing. Prices subject to change without notice.

Promotional items subject to availability. Images shown are for illustration purposes only, and may not reflect the actual products. In all cases please contact your local branch for full application/fitting details.